

COMBINATION KEY HOLDER AND SANITARY DENTAL FLOSS DISPENSER

Background of the Invention

[0001] Dental floss dispensers are well known in the art, of the type wherein a spool of dispensable dental floss is held within a closable compartment and floss is fed through an opening to a location outside the dispenser, where a floss cutter is located . A selected length of floss is removed from the spool by pulling the floss against the floss cutter blade, commonly made of metal. In many cases, the cutter and exposed floss are protected by a cover piece.

[0002] Exemplary of such dispensers is U.S. Patent 6,302,121 issued October 16, 2001 to McConnell, this patent being only representative of many different variations of dental floss dispensers.

[0003] It has been suggested in the prior art also that dental floss dispensers be combined with other devices. Exemplary of these patents are a combined floss dispenser and comb shown in U.S. Patent Des. 247,395 issued February 28, 1978 to Earl; a combination floss dispenser and stand-up toothpaste container described in U.S. Patent 5,979,706 issued November 9, 1999 to Grussmark; a bottle cap with dental floss dispenser described in U.S. Patent 5,180,090 issued January 19, 1993 to Douglas; and a combination writing utensil and floss dispenser described in U.S. Patent 6,024,104 issued February 15, 2002 to Dolberry. Such combinations have various degrees of usefulness, but sometimes lack the ability to always be carried on the person in a pocket or purse so as to be handy at all times.

[0004] A combination key holder and floss dispenser is illustrated in U.S. Patent Des. 329,137 issued September 8, 1992 to Hinson. This is a disk shaped dispenser with a rectangular window through the center and a section adapted to receive a key ring. The internal construction is not shown. A floss port for dispensing a length of floss and a projecting cutter blade extend outside the disk.

[0005] A key holder, which is carried in a pocket or purse, is exposed to all of the other objects carried in the pocket or purse, as well as extraneous dirt or potentially contaminating

material. There exists the need for a sanitary floss dispenser that does not expose the floss and floss cutter to contamination, and which is also constructed to function as a portable and useful key holder.

[0006] Accordingly, one object of the present invention is to provide an improved combination key holder and sanitary dental floss dispenser.

[0007] Another object of the invention is to provide an improved construction for a combination key holder and sanitary floss holder, in which the spool of floss is replaceable.

[0008] Still another object of the invention is to provide an improved construction for an injection molded single piece key holder and floss dispenser.

Summary of the Invention

[0009] Briefly stated, the invention comprises a combination key holder and sanitary dental floss dispenser with a case defining a first closable compartment, the case having a floss dispensing wall portion with an opening therein, a spool of dispensable floss disposed in the first closable compartment to feed floss through the opening, a floss cutter disposed in said floss dispensing wall portion, a cover so dimensioned as to fit over the floss dispensing wall portion to define a second closable compartment, an attachment portion integral with a part of the case and extending beyond the case outside the first and second compartments, and a key holder connected to the attachment portion and adapted to receive at least one key.

[0010] In its preferred form, the case, cover, and attachment portion are made as a single plastic injection molding with a living hinge connecting mating case halves and a living hinge connecting the cover to the case.

Drawing

[0011] The invention will be better understood by reference to the following description, taken in connection with the accompanying drawing, in which:

[0012] **Fig. 1** is a perspective view of the combined key holder and sanitary dental floss dispenser,

- [0013] Fig. 2 is a plan view of the key holder dispenser of Fig. 1,
[0014] Fig. 3 is a left side elevational view of the dispenser of Fig. 1,
[0015] Fig. 4 is a left side elevational view of the key holder dispenser in a fully opened condition to show internal construction,
[0016] Fig. 5 is a top plan view of the key holder dispenser seen in Fig. 4,
[0017] Fig. 6 is an end elevational view of the key holder dispenser shown in Fig. 4,
[0018] Fig. 7 is a left side elevational view of the key holder dispenser with case closed but cover opened for dispensing of floss,
[0019] Fig. 8 is a top plan view of the key holder dispenser as shown in Fig. 7, and
[0020] Fig. 9 is an end elevational view of the key holder dispenser as shown in Fig. 7.

Description of the Preferred Embodiment

[0021] Referring now to Fig. 1 of the drawing, the combination key holder and sanitary dental floss dispenser is shown generally at 10 to comprise a case 12 with a cover 14 on one end and an attachment portion 16 on the other end. The attachment portion is provided with a hole 18 for receiving an intermediate connector 20. A split ring 22 is linked with connector 20 and a key 24 by separating a section of ring 22 and rotating it to thread it over the connector and through the hole in key 24 in a manner well known in the art. The remainder of the drawings eliminate key 24 for purposes of clarity, since any number of keys or various types of key rings or key chains may be attached to the intermediate connector 20, the types of key rings or key chains not being material to the present invention.

[0022] Referring to Figs. 2 and 3 of the drawing, the case 12 is seen to be generally rectangular on the end to which cover 14 is attached and tapering on the other end to join the attachment portion 16. As seen in Fig. 3, case 12 is preferably fabricated in a bottom half 26 and a top half 28, with the attachment portion 16 formed as an integral part of top half 28. The attachment portion 16 could equally well be an integral part of the bottom half 26, this being merely a matter of choice, both the bottom half 26 and top half 28 are folded together to form the case.

[0023] Referring now to **Figs. 4, 5 and 6** of the drawing, the views illustrate the internal construction of the key holder dispenser. The bottom half **26** comprises a bottom consisting of a flat panel **30** connected to a tapered panel **32**, these panels being partially surrounded by a bottom wall **34** extending around three sides of the panels **30, 32**. A taller dispensing wall portion **36** extends between the ends of bottom wall **34** to surround the bottom panels **30, 32**. The case top **28** is similarly constructed with a top consisting of a flat panel **38** connected to a tapered panel **40**. A top wall **42** extends around three sides of the top. The attachment portion **16** extends beyond the top wall **42**, and is a solid piece provide with a hole **18**.

[0024] In the preferred embodiment, the bottom and top walls **34** and **32** of the bottom **26** and top **28** respectively have a straight section connected by a living hinge **44** so that top and bottom can be molded as a single injection molding. The bottom wall **34**, dispensing wall portion **36** and top wall **42** are so dimensioned and arranged so that they mate precisely with one another to provide a first closable compartment **46** when the top and bottom halves are folded together.

[0025] Reference to **Fig. 6** shows that the floss dispensing wall portion **36** defines a first slit **48** and a second slit **50**. Slits **48** and **50** are spaced from one another by a bridging wall portion **52**. A metal floss cutter **54** is disposed in the second slit **50**.

[0026] In order to hold a spool of dispensable floss, a cylindrical projection **56** molded as part of the bottom panel **30** projects from the bottom panel. A spool of dispensable floss **58** is disposed on the projection **56**, so that a length of floss **60** may be brought through slit **48** and fed through cutter **54**. The key holder dispenser may be fully opened as shown in **Figs. 4, 5 and 6** to replace the spool **56** of floss.

[0027] Referring now to **Figs. 7, 8 and 9**, the key holder dispenser is shown in partially opened condition with the cover **14** open for dispensing a length of floss **60**. As indicated in the drawing, the cover **14** comprises a rectangular bottom panel **62** with a peripheral wall **64**. Preferably cover **14** is part of the same plastic injection molding and is connected to the case by a living hinge **66**. The bottom **14** is so dimensioned as to fit over the floss dispensing wall portion to define a second closable compartment **68**. When so closed, the cutter **54** and the floss exposed

along the bridging wall **52** are inside the second closable compartment, so that they may be protected in a sanitary manner from dirt or contamination in a pocket or purse. In this way, the dispenser case **12** fully protects the floss, while the case **12** may be used as a tab to locate and use key **24**.

[0028] The preferred embodiment utilized a plastic injection molding. However, it is within the scope of the invention to make the case halves and cover out of separate metal parts and to connect them with hinges. Precious metals such as silver or gold may be used to create unique combined key holders and sanitary floss dispensers, in which the floss spool may be replaced.

[0029] While there has been described what is considered to be the preferred embodiment of the invention, other modifications will occur to those skilled in the art. It is desired to secure all such modifications as fall within the true spirit and scope of the invention.